

Town of Dewey Beach 1713 Bayard Avenue Dewey Beach, DE 19971 2019 Annual Drinking Water Quality Report PWS ID # DE0000825

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water we deliver to you. This report will not be mailed to each customer. Copies of the report are available upon request by calling (302) 855-7730. This report is also available on Sussex County's web page: http://www.sussexcountyde.gov/dewey-beach-consumer-confidence-reports

Sussex County is pleased to inform you that the drinking water delivered to your residence meets or exceeds all Federal and State requirements.

In order to ensure that tap water is safe to drink, EPA prescribes regulations, which limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration regulations establish limits for contaminants in bottled water, which must provide the same protection for public health.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are byproducts of industrial processes and petroleum

- production. They may also come from gas stations, urban storm water runoff, and septic systems.
- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (1-800-426-4791).

Sussex County supplies the users within the Dewey Beach Water District with drinking water purchased from the City of Rehoboth Beach. The City of Rehoboth Beach's wells withdraw from the Columbia aquifer.

The Division of Public Health, in conjunction with the Department of Natural Resources and Environmental Control (DNREC) has conducted source water assessments for nearly all community water systems in the state. Please contact the City of Rehoboth's Water Department at (302) 227-3194 regarding its availability and how to obtain a copy of this assessment. You may also review it on the website: http://www.wr.udel.edu/swaphome/index.html.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants, in addition to information about contaminants and potential health effects, can be obtained by calling the EPA Safe Drinking Water Hotline (1-800-426-4791).

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure y flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://epa.gov/safewater/lead.

The State of Delaware's Department of Public Health routinely monitors the drinking water supply for the Town of Dewey Beach for constituents according to Federal and State laws. A table has been included in this report to show the results of the monitoring for the period of January 1, 2019 - December 31, 2019. It's important to remember that the presence of these constituents does not necessarily pose a health risk. In this table you will find many terms and abbreviations you might not be familiar with.

Non-Detects (ND) - laboratory analysis indicates that the constituent is not present. Parts per Million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or one penny in \$10,000.

Parts per Billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

To help you better understand these terms we've provided the following definitions.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

Maximum Containment Level (MCL) - is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - is the level of a contaminant in drinking water below, which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Action Level – the concentration of a contaminant, which, if exceeded, triggers treatment or other requirements, which a water system must follow. NA – not applicable ND – not detectable at testing limit

Barium**sampled 2013 N 0.1099 ppm 2 2 deposits. Chromium**sampled 2013 N 2.3 ppb 100 100 Discharge from steel and pulp mi Erosion of natural deposits; Leacl household plumbing systems. Lead (see note 1) 2017 N ND ppb AL=1.3 1.3 household plumbing systems. Lead (see note 1) 2017 N ND ppb AL=15 0 Corrosion of household plumbing systems. Notate 2019 N 4.9 ppm 10 10 Runoff from fertilizer use promotes strong teeth; Discharge fertilizer and aluminum factories. Disinfectants and Disinfection By-Products Violation Level Unit MCL MCLG Typical source of contaminant Total Trihalomethanes (TTHM) 2019 N 33 ppb 80 NA By-product of drinking water disi Haloacetic Acids (HAA5)**sampled 2019 N 11 ppb 60 NA By-product of drinking water disi Inorganic Contaminants including pesticides and herbicides Violation Level Unit MCL MCLG Typical source of contaminant Atrazine N 0.015 ppb 3 Runoff from herbicide used on route Di (2-ethylhexyl) adipate N 0.27 ppb 400 400 Discharge from chemical factorie	
Copper (see note 1) 2017 N 0.09 ppm AL=1.3 1.3 Erosion of natural deposits; Leach household plumbing systems. Lead (see note 1) 2017 N ND ppb AL=15 0 Corrosion of household plumbing systems. Note 1: The listed lead and copper concentrations are the 90th percentile value from samples collected in July 2017. During these tests no lead was fer suppose and a suppose to the samples collected in July 2017. During these tests no lead was fer suppose and a suppose the samples collected in July 2017. During these tests no lead was fer suppose to the samples collected in July 2017. During these tests no lead was fer suppose to the samples collected in July 2017. During these tests no lead was fer suppose to the samples collected in July 2017. During these tests no lead was fer suppose the samples collected in July 2017. During these tests no lead was fer suppose the samples collected in July 2017. During these tests no lead was fer suppose the samples collected in July 2017. During these tests no lead was fer suppose the samples collected in July 2017. During these tests no lead was fer suppose the samples collected in July 2017. During these tests no lead was fer suppose the samples collected in July 2017. During these tests no lead was fer suppose the samples collected in July 2017. During these tests no lead was fer suppose the samples collected in July 2017. During these tests no lead was fer suppose the samples collected in July 2017. During these tests no lead was fer suppose the samples collected in July 2017. During these tests no lead was fer suppose the samples collected in July 2017. During these tests no lead was fer suppose the samples collected in July 2017. During these tests no lead was fer suppose the samples collected in July 2017. During these tests no lead was fer suppose the samples collected in July 2017.	harge from metal refineries; Erosion of natural
Copper (see note 1) 2017 N 0.09 ppm AL=1.3 1.3 Erosion of natural deposits; Leach household plumbing systems. Lead (see note 1) 2017 N ND ppb AL=1.5 0 Corrosion of household plumbing systems. Note 1: The listed lead and copper concentrations are the 90th percentile value from samples collected in July 2017. During these tests no lead was fer a superscript of the product of drinking was fer and the product of drinking and plumbing systems. Lead (see note 1) 2017 N ND ppb AL=1.5 0 Corrosion of household plumbing systems. Lead (see note 1) 2019 N 4.9 ppm 10 10 Runoff from fertilizer use promotes strong teeth; Discharge fertilizer and aluminum factories. Disinfectants and Disinfection By-Products Violation Level Unit MCL MCLG Typical source of contaminant Total Trihalomethanes (TTHM) 2019 N 33 ppb 80 NA By-product of drinking water disi Haloacetic Acids (HAA5)**sampled 2019 N 11 ppb 60 NA By-product of drinking water disi Inorganic Contaminants including pesticides and herbicides Violation Level Unit MCL MCLG Typical source of contaminant Atrazine N 0.015 ppb 3 3 Runoff from herbicide used on round Di (2-ethylhexyl) adipate N 0.27 ppb 400 400 Discharge from chemical factories Di (2-ethylhexyl) phthalate 2017 N 0.5 ppb 6 0 Discharge from rubber and chemical factories Note 1: The listed lead and copper concentrations are the 90th percentile value from samples collected in July 2017. During these tests no lead was feed to the samples collected in July 2017. During these tests no lead was feed to the samples collected in July 2017. During these tests no lead was feed to the samples collected in July 2017. During these tests no lead was feed to the samples collected in July 2017.	lls; Erosion of natural deposits.
Nitrate 2019 N 4.9 ppm 10 10 Runoff from fertilizer use Flouride 2019 N 0.55 ppm 2 2 promotes strong teeth; Discharge fertilizer and aluminum factories. Disinfectants and Disinfection By- Products Violation Level Unit MCL MCLG Typical source of contaminant Total Trihalomethanes (TTHM) 2019 N 33 ppb 80 NA By-product of drinking water disi Haloacetic Acids (HAA5)**sampled 2019 N 11 ppb 60 NA By-product of drinking water disi Inorganic Contaminants including pesticides and herbicides Violation Level Unit MCL MCLG Typical source of contaminant Atrazine N 0.015 ppb 3 3 Runoff from herbicide used on ro Di (2-ethylhexyl) adipate N 0.27 ppb 400 400 Discharge from chemical factorie Di (2-ethylhexyl) phthalate 2017 N 0.5 ppb 6 0 Discharge from rubber and chemi	ning from wood preservatives; Corrosion of
Flouride 2019 N 0.55 ppm 2 2 promotes strong teeth; Discharge fertilizer and aluminum factories. Disinfectants and Disinfection By-Products Violation Level Unit MCL MCLG Typical source of contaminant Total Trihalomethanes (TTHM) 2019 N 33 ppb 80 NA By-product of drinking water disi Haloacetic Acids (HAA5)**sampled 2019 N 11 ppb 60 NA By-product of drinking water disi Inorganic Contaminants including pesticides and herbicides Violation Level Unit MCL MCLG Typical source of contaminant Atrazine N 0.015 ppb 3 3 Runoff from herbicide used on ro Di (2-ethylhexyl) adipate N 0.27 ppb 400 400 Discharge from chemical factorie Di (2-ethylhexyl) phthalate 2017 N 0.5 ppb 6 0 Discharge from rubber and chemi	systems; Erosion of natural deposits.
Flouride 2019 N 0.55 ppm 2 2 2 fertilizer and aluminum factories. Disinfectants and Disinfection By- Products Violation Level Unit MCL MCLG Typical source of contaminant Total Trihalomethanes (TTHM) 2019 N 33 ppb 80 NA By-product of drinking water disi Haloacetic Acids (HAA5)**sampled 2019 N 11 ppb 60 NA By-product of drinking water disi Inorganic Contaminants including pesticides and herbicides Violation Level Unit MCL MCLG Typical source of contaminant Atrazine N 0.015 ppb 3 3 Runoff from herbicide used on ro Di (2-ethylhexyl) adipate N 0.27 ppb 400 400 Discharge from chemical factorie Di (2-ethylhexyl) phthalate 2017 N 0.5 ppb 6 0 Discharge from rubber and chemi	
Products Violation Level Unit MCL MCLG Typical source of contaminant Total Trihalomethanes (TTHM) 2019 N 33 ppb 80 NA By-product of drinking water disi Haloacetic Acids (HAA5)**sampled 2019 N 11 ppb 60 NA By-product of drinking water disi Inorganic Contaminants including pesticides and herbicides Violation Level Unit MCL MCLG Typical source of contaminant Atrazine N 0.015 ppb 3 3 Runoff from herbicide used on ro Di (2-ethylhexyl) adipate N 0.27 ppb 400 400 Discharge from chemical factorie Di (2-ethylhexyl) phthalate 2017 N 0.5 ppb 6 0 Discharge from rubber and chemical factories Note 1: The listed lead and copper concentrations are the 90th percentile value from samples collected in July 2017. During these tests no lead was for	from
Haloacetic Acids (HAA5)**sampled 2019 N 11 ppb 60 NA By-product of drinking water disi Inorganic Contaminants including pesticides and herbicides Violation Level Unit MCL MCLG Typical source of contaminant Atrazine N 0.015 ppb 3 Runoff from herbicide used on ro Di (2-ethylhexyl) adipate N 0.27 ppb 400 Discharge from chemical factorie Di (2-ethylhexyl) phthalate Di (2-ethylhexyl) phthalate Di (2-ethylhexyl) phthalate N 0.5 ppb 6 Discharge from rubber and chemical factorie Note 1: The listed lead and copper concentrations are the 90th percentile value from samples collected in July 2017. During these tests no lead was for	
2019 N 11 ppb 60 NA By-product of drinking water disi Inorganic Contaminants including pesticides and herbicides Violation Level Unit MCL MCLG Typical source of contaminant Atrazine N 0.015 ppb 3 3 Runoff from herbicide used on ro Di (2-ethylhexyl) adipate N 0.27 ppb 400 400 Discharge from chemical factorie Di (2-ethylhexyl) phthalate 2017 N 0.5 ppb 6 0 Discharge from rubber and chemical factories of the listed lead and copper concentrations are the 90th percentile value from samples collected in July 2017. During these tests no lead was for	nfection.
Inorganic Contaminants including pesticides and herbicides Violation Level Unit MCL Typical source of contaminant Atrazine N 0.015 ppb 3 3 Runoff from herbicide used on ro Di (2-ethylhexyl) adipate N 0.27 ppb 400 400 Discharge from chemical factorie Di (2-ethylhexyl) phthalate 2017 N 0.5 ppb 6 0 Discharge from rubber and chemical factorie Note 1: The listed lead and copper concentrations are the 90th percentile value from samples collected in July 2017. During these tests no lead was formula for the percentile value from samples collected in July 2017. During these tests no lead was formula for the percentile value from samples collected in July 2017.	nfection.
Di (2-ethylhexyl) adipate N 0.27 ppb 400 Discharge from chemical factorie Di (2-ethylhexyl) phthalate 2017 N 0.5 ppb 6 0 Discharge from rubber and chemi Note 1: The listed lead and copper concentrations are the 90 th percentile value from samples collected in July 2017. During these tests no lead was for	
Di (2-ethylhexyl) phthalate 2017 N 0.5 ppb 6 0 Discharge from rubber and chemi Note 1: The listed lead and copper concentrations are the 90 th percentile value from samples collected in July 2017. During these tests no lead was for	w crops.
Note 1: The listed lead and copper concentrations are the 90 th percentile value from samples collected in July 2017. During these tests no lead was for	S
	cal factories
	und
Therate. Institute in trinking water at revers above to mg/1/5 a health risk for intains of less than six months of age. Then intrace levels may eause of	
Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are caring for an infant you should ask for	
**The State allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequency.	
	icitiy.
Some of our data, though representative, are more than one year old.	

Secondary Standards					Secondary Sta	ndards	
Contaminants	State SMC	Average	Range				
ALKALINITY	N/A	32.4	32.4 - 32.4				
CHLORIDE	250 ppm	22.8	22.8 - 22.8				
IRON	300ppb	0	0 - 0				
PH	6.5-8.5	7.1	7.1 - 7.1				
SODIUM	N/A	28.6	28.6 - 28.6				
SULFATE	300.0	15.4	15.4 - 15.4				
FREE RESIDUAL CHLORINE	N/A	0.36	0.36 - 0.36				