

## REQUEST FOR PROPOSALS

Sussex County is requesting proposals for the installation of benches at the Woodland Park in Seaford, DE. Woodland Park is located at the site of the former Woodland Golf Park at 27866 Woodland Road, Seaford, DE (Tax Map ID 5-31.00-15.00 Parcel 21).

A site plan and drawings are included as part of this solicitation.

### PART 1 - GENERAL

#### 1.1 RELATED DOCUMENTS

- A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and Division 01 Specification Sections, apply to this Section.

#### 1.2 SUMMARY

- A. Section Includes:
  - 1. Park Bench.
- B. Related Requirements:
  - 1. Section 31 20 00 "Earth Moving" for excavation.

#### 1.3 ACTION SUBMITTALS

- A. Product Data: For each type of product.

### PART 2 - PRODUCTS

#### 2.1 PARK BENCH

- A. The Park Catalog Item 398-1128 or approved equal.
  - 1. <http://www.theparkcatalog.com/traditional-park-bench/6-1-park-bench-with-back-2-x-4-planks-inground-mount/398-1128>
- B. The benches have heavy duty 2-3/8" O. D. pipe all MIG welded framework and brace 1-5/16" O. D. pipe.
  - 1. The hardware is all galvanized.
- C. Green powder coated frame.
- D. Six (6) foot long bench with pressure treated plank seat and back.

## 2.2 MATERIALS

- A. Steel and Iron: Free of surface blemishes and complying with the following:
1. Plates, Shapes, and Bars: ASTM A 36/A 36M.
  2. Steel Pipe: Standard-weight steel pipe complying with ASTM A 53/A 53M, or electric-resistance-welded pipe complying with ASTM A 135/A 135M.
- B. Non-shrink, Non-metallic Grout: Premixed, factory-packaged, non-staining, noncorrosive, nongaseous grout complying with ASTM C 1107/C 1107M; recommended in writing by manufacturer, for exterior applications.

## PART 3 - EXECUTION

### 3.1 EXAMINATION

- A. Examine areas and conditions, with Installer present, for compliance with requirements for correct and level finished grade, mounting surfaces, installation tolerances, and other conditions affecting performance of the Work.
- B. Proceed with installation only after unsatisfactory conditions have been corrected.

### 3.2 INSTALLATION, GENERAL

- A. Comply with manufacturer's written installation instructions unless more stringent requirements are indicated. Complete field assembly of site furnishings where required.
- B. Unless otherwise indicated, install site furnishings after landscaping and paving have been completed.
- C. Install site furnishings level, plumb, true, and positioned at locations indicated on Drawings.

### **INSTRUCTIONS TO BIDDERS:**

- Bids shall be submitted to Ms. Juel Gibbons by or before **2PM on October 30, 2015**, Third Floor, Sussex County Administration Building, 2 The Circle, P.O. Box 589, Georgetown, DE 19947, ATTN: Juel Gibbons. Bids may also be submitted by email ([jgibbons@sussexcountyde.gov](mailto:jgibbons@sussexcountyde.gov)), or via fax to 302-855-7799.
- All bids shall remain valid for 30 calendar days from the time set for bid opening. A bidder may withdraw their bid after it has been submitted, only if the request to do so has been submitted in writing and received prior to the time set for bid opening.
- All bidders are hereby notified that Sussex County Engineering Department reserves the right to reject any or all bids, and to waive informalities at its discretion.

